UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/690,657	03/02/2001	Thomas C. Thompson		3470
Thomas C. Tho	7590 08/03/200 mpson	EXAMINER		
92-543 Kokole PL			WENDELL, MARK R	
Makakilo, HI 96707			ART UNIT	PAPER NUMBER
			3635	
			MAIL DATE	DELIVERY MODE
			08/03/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Occurrence	09/690,657	THOMPSON, THOMAS C.				
Office Action Summary	Examiner	Art Unit				
	MARK R. WENDELL	3635				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>16 Ju</u>	ne 2009					
	action is non-final.					
·=	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
ologica in accordance with the practice and in	x parte Quayle, 1000 0.b. 11, 40	0.0.210.				
Disposition of Claims						
4)⊠ Claim(s) <u>24-39</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdraw	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)⊠ Claim(s) <u>24,25,28,30 and 31</u> is/are allowed.						
6)⊠ Claim(s) <u>33,34 and 36-38</u> is/are rejected.						
7) Claim(s) <u>26-27, 29, 32, 35, 39</u> is/are objected to	0					
O) Ciain(s) are subject to restriction and/or election requirement.						
Application Papers						
9)☐ The specification is objected to by the Examiner.						
	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)	_					
1) Notice of References Cited (PTO-892)	4) Interview Summary					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	Paper No(s)/Mail Da 5) Notice of Informal P					
Paper No(s)/Mail Date	6) Other:					

DETAILED ACTION

Claim Objections

Claim 26 is objected to because of the following informalities: Line 1, the word "a" should be "the". Appropriate correction is required.

Claim 27 is objected to because of the following informalities: Line 1, the word "a" should be "the". Appropriate correction is required.

Claim 29 is objected to because of the following informalities: Line 1, the word "a" should be "the". Appropriate correction is required.

Claim 32 is objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. The claim merely states inherent improvements of the instant invention over previous methods. There is no further structure claimed.

Claim 39 is objected to because of the following informalities: Line 3, the phrase "on apparatuses" should be deleted. Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 33-34, 36-38 are rejected under 35 U.S.C. 102(b) as being anticipated by Birs (US 5383315). Regarding claims 33 and 34, Birs illustrates in Figure 5 a bracket comprising:

- Sides that are shaped like a cylinder (11);
- o One end of the cylinder is open (end opposite 13);
- The other end of the cylinder is **generally** closed and **generally** flat (13), the examiner notes that the term "generally" renders the terms "closed" and "flat" ambiguous. The flat, washer portion of the item in Figure 5 is a closed circle with a circular opening in the top to receive a screw, see Figure 2. Thusly, the item is considered "generally closed";
- The opposite side of the closed end contains an attaching web (objects can be inserted into the hole, see Figure 2).

The examiner further notes that the drilled-out annulus is never positively claimed it is merely mentioned in nested intended use language within the preamble ("for inserting into"). Therefore, the structure of the claim only has to be capable of performing the function of fitting into an annulus, which because of its hollow core it can.

Page 4

Regarding claims 36-38, Birs teaches in column 3 the bracket (11) being attached via an adhesive placed on flange (13).

Allowable Subject Matter

Claims 24-25, 28 and 30-31 are allowed.

The following is an examiner's statement of reasons for allowance: The examiner notes that the closest prior art found to the instant application is Birs (US 5383315). Birs teaches a hole drilled into a shutter and bracket assembly with a bolt attaching the two together in combination with the sleeve of Figures 4-6. The reference does not teach the method of drilling an annulus with a cylindrical core in the center and fiting the sleeve onto such a core with an adhesive.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Claims 35 and 39 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

The examiner notes that the response to arguments can be found above in the body of the Office Action. Most arguments have been nullified via amendments to the claims.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARK R. WENDELL whose telephone number is (571)270-3245. The examiner can normally be reached on Mon-Fri, 7:30AM-5PM, Alt. Fri off, EST.

Application/Control Number: 09/690,657 Page 6

Art Unit: 3635

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Chilcot can be reached on (571) 272-6777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Richard E. Chilcot, Jr./ Supervisory Patent Examiner, Art Unit 3635

/M. R. W./ Examiner, Art Unit 3635 July 28, 2009